



\*\* CLEARANCE REQUIRED FOR THERMAL MOVEMENT

- PYTHON VENT (OPTIONAL)
- #14-10 X 1 1/2" HHA FASTENER (⊙ 1'-0" O.C.)
- BUTYL TUBE SEALANT (APPLY UP VERTICAL LEG MAKING SURE SEALANT ENTERS HEM)
- VENTED EAVE/RIDGE TRIM (PRE-DRILL 5/16" ⌀ HOLES ⊙ 1'-0" O.C.) (MT-186)
- 43D POP RIVET (2 PER STRAP)
- GUTTER STRAP
- 3/32" X 1" ROLL TAPE SEALANT (CONT. ALONG EAVE)
- 3/32" X 1" ROLL TAPE SEALANT (CONT. ALONG EAVE)
- 1" PIECE OF 3/32" X 1" ROLL TAPE SEALANT (⊙ GUTTER STRAP LOCATIONS)
- GUTTER (MT-\_\_\_)
- DOWNSPOUT SLEEVE (MT-78)
- 4" X 5" DOWNSPOUT (MT-73)

- T-138 SEAM CAP
- 8" SHINGLE RECOVER CLIP (SHIM AS NEEDED TO KEEP LEVEL)
- T-138 ROOF PANEL
- EXISTING SHINGLES (NOT BY TREMCO)
- EXISTING UNDERLAYMENT (NOT BY TREMCO)
- EXISTING PLYWOOD DECK (NOT BY TREMCO)
- #14-10 X 1 1/2" TYPE A FASTENERS (2 PER CLIP)
- #10-12 X 1" TYPE A PANCAKE HEAD FASTENER (⊙ 5'-0" O.C.)
- FASCIA BOARD (NOT BY TREMCO)



SHEET TITLE:  
**TREMLOCK T-138 ASV SYSTEM OVER SHINGLES  
 EAVE WITH 6" GUTTER**

SCALE:  
**NTS**

DRAWING No.:  
**DWG NO. T-138-22**