

TUBE BUTYL SEALANT  
(FORCE INSIDE HEM OF SEAM  
AND DOWN VERTICAL LEG  
OF PANEL IN-LINE WITH  
DOUBLE BEAD TAPE SEALANT)

3/16" X 7/8" DOUBLE BEAD  
TAPE SEALANT

1/4-14 X 1 1/4" HWH TEK2  
FASTENERS (@ EACH  
STRUCTURAL MEMBER)

#10-16 X 1" TEK2 PANCAKE  
HEAD FASTENERS (@ 5'-0" O.C.)

STRUCTURAL ROOF  
MEMBER

4"  
(MIN.)

VALLEY

FOLD TAB ON PANEL  
SEAM CAP

VALLEY W/OUT CLEAT

T-238 PANEL SEAM  
CAP

16GA VALLEY PLATE

T-238 PANEL

T-238 MULTI-SPAN  
CLIPS

1/4-14 X 1 1/4" TEK2 ZAC  
FASTENER  
(4 PER CONNECTION)

1/4-14 X 1 1/4" TEK2 ZAC  
FASTENER  
(@ 0'-4" O.C.)



SHEET TITLE:

TREMLOCK T-238 PURLIN VALLEY  
(MULTISPAN CLIPS)

SCALE:

NTS

DRAWING No.:

DWG NO. T-238-19