INSULATION REMOVED FOR CLARITY OF DETAIL T-238 RETRO CLIP 16GA GALV. EAVE PLATE (MT-188) BUTYL TUBE SEALANT -1/4-14 X 1 1/4" HWH TEK2 (FORCE INSIDE HEM OF SEAM FASTENER (@ 1'-0" O.C.) AND DOWN VERTICAL LEG OF PANEL IN-LINE WITH T-238 PANEL DOUBLE BEAD TAPE SEALANT) **SEAM CAP** FOLD TAB ON PANEL T-238 PANEL **SEAM CAP** 1/4-14 X 1 1/4" TEK2 ZAC FASTENER (@ 0'-4" O.C.) 3/16" X 7/8" DOUBLE BEAD **EXISTING ROOF PANEL** TAPE SEALANT (CONT. ALONG TO REMAIN LENGTH OF EAVE) **EXISTING STRUCTURAL** 1 1/2" PANEL FOLD **EAVE MEMBER EAVE TRIM EXISTING WALL** PANEL FASTENER 1/4-14 X 7/8" LAP TEK FASTENER (@ MAJOR RIBS) **OUTSIDE CLOSURE** EXISTING WALL PANEL $2\frac{7}{8}$ " SCALE: SHEET TITLE: NTS **TREMCO** TREMLOCK T-238 EXISTING R-PANEL OVER PURLIN DRAWING No.: **EAVE (RETRO CLIPS)** DWG NO. T-238-31 Roofing & Building Maintenance