INSULATION REMOVED FOR CLARITY OF DETAIL BREAD PAN OF PANEL ON 3:12 PITCH OR LESS FLOATING HIP 3/16" X 7/8" DOUBLE CAP **BEAD TAPE SEALANT** 1/4-14 X 7/8" LAP TEK -(CONT. ALONG TOP OF FASTENER (@ 1'-0" O.C.) CLOSURES) 1/4-14 X 1 1/4" TEK2 1/4-14 X 1 1/4" HWH TEK2 ZAC FASTENERS **FASTENER (1 PER CLOSURE)** (@ 0'-4" O.C. MAX.) STANDARD OFFSET CLEAT 3/32" X 1" ROLL TAPE (MT-38) SEALANT (CONT. ALONG 1/4-14 X 7/8" LAP TEK ZAC LENGTH OF HIP) (@ 0'-6" O.C.) T-238 RETRO T-238 METAL ZEE CLIP CLOSURE (MT-17) 1/4-14 X 1 1/4" HWH TEK2 (FIELD FABRICATE) FASTENERS (2 PER CLIP) T-238 PANEL SEAM CAP T-238 PANEL BACK-UP CHANNEL -3/16" X 7/8" DOUBLE BEAD TAPE SEALANT **EXISTING ROOF PANEL** (SIDES AND BOTTOM OF ZEE CLOSURE) TO REMAIN STRUCTURAL ROOF **MEMBER** SCALE: SHEET TITLE: NTS TREMCO TREMLOCK T-238 EXISTING R-PANEL OVER PURLIN DRAWING No.:



FLOATING HIP (RETRO CLIPS)

DWG NO. T-238-37