

INSULATION REMOVED FOR CLARITY OF DETAIL

THIS AREA MUST FLOAT

1/4-14 X 1 1/4" TEK2 ZAC FASTENER (@ 1'-0" O.C.)

3/32" X 1" ROLL TAPE SEALANT (CONT. ALONG LENGTH OF RAKE)

RAKE TIE-IN TRIM

EXISTING R-PANEL TO REMAIN


T-238 PANEL SEAM CAP

T-238 RETRO CLIP

T-238 PANEL

1/4-14 X 1 1/4" HWH TEK2 FASTENER (2 PER CLIP)

EXISTING STRUCTURAL ROOF MEMBER



WALL PANEL

WALL PANEL FASTENER

FASTENER THRU EPDM MEMBRANE

OUTSIDE CLOSURE

EPDM MEMBRANE

3/16" X 7/8" DOUBLE BEAD TAPE SEALANT (2 ROWS CONT. ALONG LENGTH OF PANELS)

1/4-14 X 1 1/4" TEK2 ZAC FASTENER (@ 1'-0" O.C.)

16GA. SLOTTED ZEE (FOR RETRO SYSTEM)

1/4-14 X 1 1/4" HWH TEK2 W/ SHOULDER FASTENER (@ 1'-0" O.C.)

EXISTING RAKE ANGLE

1/4-14 X 1 1/4" HWH TEK2 FASTENER (@ EACH STRUCTURAL ROOF MEMBER)

BUILDING LINE (NOT BY TREMCO)



SHEET TITLE:

TREMLOCK T-238 EXISTING R-PANEL OVER PURLIN
FLOATING RAKE TIE-IN (RETRO CLIPS)

SCALE:

NTS

DRAWING No.:

DWG NO. T-238-38