


INSULATION REMOVED FOR CLARITY OF DETAIL



- SLOPE TRANSITION TRIM
- 1/4-14 X 7/8" LAP TEK FASTENER (@ 0'-6" O.C.)
- 3/16" X 7/8" DOUBLE BEAD TAPE SEALANT
- 1/4-14 X 7/8" LAP TEK ZAC FASTENER (@ 0'-6" O.C.)
- 3/32" X 1" ROLL TAPE SEALANT (CONT. ALONG LENGTH OF TRANSITION)
- STANDARD OFFSET CLEAT (MT-38)
- FACTORY FORMED METAL CLOSURE w/ NEOPRENE INSERT SET IN URETHANE SEALANT (BOTTOM & SIDES)
- T-238 PANEL SEAM CAP
- T-238 PANEL
- T-238 RETRO CLIP
- EXISTING PANEL TO REMAIN
- 1/4-14 X 1 1/4" HWH TEK2 FASTENER (2 PER CLIP)
- STRUCTURAL ROOF MEMBER

- FOLD TAB ON PANEL SEAM CAP
- BUTYL TUBE SEALANT (FORCE INSIDE HEM OF SEAM AND DOWN VERTICAL LEG OF PANEL IN-LINE WITH DOUBLE BEAD TAPE SEALANT)
- 1/4-14 X 1 1/4" TEK2 ZAC FASTENER (@ 0'-4" O.C.)
- 3/16" X 7/8" DOUBLE BEAD TAPE SEALANT (CONT. ALONG LENGTH OF EAVE)
- #10-16 X 1" TEK2 PANCAKE HEAD FASTENER (@ 5'-0" O.C.)
- T-238 ROOF PANEL
- T-238 RETRO CLIP
- 16GA GALV. EAVE PLATE (MT-188)
- 1/4-14 X 1 1/4" HWH TEK2 FASTENER (@ 1'-0" O.C.)
- 1/4-14 X 1 1/4" HWH TEK2 FASTENER (2 PER CLOSURE)
- EXISTING STRUCTURAL ROOF MEMBER



SHEET TITLE:
TREMLOCK T-238 EXISTING R-PANEL OVER PURLIN SLOPE TRANSITION (RETRO CLIPS)

SCALE:
NTS

DRAWING No.:
DWG NO. T-238-43