

TUBE BUTYL SEALANT
(FORCE INSIDE HEM OF SEAM
AND DOWN VERTICAL LEG
OF PANEL IN-LINE WITH
DOUBLE BEAD TAPE SEALANT)

3/16" X 7/8" DOUBLE BEAD
TAPE SEALANT

1/4-14 X 1 1/4" HWH TEK2
FASTENERS (@ EACH ROOF
HUGGER)

#10-16 X 1" TEK2 PANCAKE
HEAD FASTENERS (@ 5'-0"
O.C.)

16 GA. ROOF HUGGER

1/4-14 DP3 HWH W/O WA (QTY
PER DESIGN)

EXISTING STRUCTURAL
ROOF MEMBER

4"
(MIN.)

FOLD TAB ON PANEL
SEAM
CAP

VALLEY W/OUT CLEAT
(MT-8)

T-238 PANEL SEAM
CAP

APPROVED HT PEEL &
STICK UNDERLAYMENT

T-238 PANEL

EXISTING STANDING
SEAM PANEL TO
REMAIN

1/4-14 X 1 1/4" TEK2 ZAC
FASTENER (@ 0'-4" O.C.)

16 GA. VALLEY PLATE

VALLEY



SHEET TITLE:

TREMLOCK T-238 ROOF HUGGERS
VALLEY DETAIL (STANDARD CLIPS)

SCALE:

NTS

DRAWING No.:

DWG NO. T-238-29