

# SAFETY DATA SHEET

## 1. Identification

**Material name:** TREMFIX A.F. 5 US GL  
**Material:** 350715 805

### Recommended use and restriction on use

**Recommended use:** Sealant  
**Restrictions on use:** Not known.

### Manufacturer/Importer/Supplier/Distributor Information

Tremco Incorporated  
3735 Green Road  
BEACHWOOD OH 44122  
US

**Contact person:** EH&S Department  
**Telephone:** 216-292-5000  
**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

Skin sensitizer	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1A
Toxic to reproduction	Category 1B

#### Unknown toxicity - Health

Acute toxicity, oral	18.96 %
Acute toxicity, dermal	18.97 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust or mist	100 %

#### Environmental Hazards

Acute hazards to the aquatic environment	Category 1
--	------------

#### Unknown toxicity - Environment

Acute hazards to the aquatic environment	94.5 %
Chronic hazards to the aquatic environment	100 %

### Label Elements

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** May cause an allergic skin reaction.  
May cause genetic defects.  
May cause cancer.  
May damage fertility or the unborn child.  
Very toxic to aquatic life.

**Precautionary Statements**

**Prevention:** Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.

**Response:** IF ON SKIN: Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Collect spillage.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

<b>3. Composition/information on ingredients</b>
--

**Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
-------------------	------------	-------------------------

Coal tar pitch	65996-93-2	50 - <100%
Calcium Carbonate (Limestone)	1317-65-3	5 - <10%
Cellulose	9004-34-6	1 - <5%
Creosote	8001-58-9	1 - <5%
Phenanthrene	85-01-8	1 - <5%
Fluorathene	206-44-0	1 - <5%
Clay	1332-58-7	0.1 - <1%
Naphthalene	91-20-3	0.1 - <1%
Anthracene	120-12-7	0.001 - <1%
Indeno[1,2,3-cd]pyrene	193-39-5	0.1 - <1%
Benzo(a)anthracene	56-55-3	0.1 - <1%
Chrysene	218-01-9	0.1 - <1%
Benzo(a)pyrene	50-32-8	0.3 - <1%
Acenaphthene	83-32-9	0.1 - <1%
Dibenzofuran	132-64-9	0.1 - <1%
Benzo(b)fluoranthene/benzo[e]acefenantrileno	205-99-2	0.1 - <1%
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	0.1 - <1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

##### Description of necessary first-aid measures

- Inhalation:** Move to fresh air.
- Skin Contact:** Get medical attention if symptoms occur. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.
- Eye contact:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.
- Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
- Personal Protection for First-aid Responders:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

##### Most important symptoms/effects, acute and delayed

- Symptoms:** May cause skin and eye irritation.
- Hazards:** No data available.

##### Indication of immediate medical attention and special treatment needed

- Treatment:** Symptoms may be delayed.

#### 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**Accidental release measures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Methods and material for containment and cleaning up:** Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

**7. Handling and storage**

**Handling**

**Technical measures (e.g. Local and general ventilation):** Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

**Safe handling advice:** Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly after handling. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Contact avoidance measures:** No data available.

**Hygiene measures:** Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

**Storage**

**Safe storage conditions:** Store locked up.

**Safe packaging materials:** No data available.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Coal tar pitch - Aerosol. - as benzene solubles	TWA	0.2 mg/m3	US. ACGIH Threshold Limit Values (2011)
Coal tar pitch	PEL	0.2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Calcium Carbonate (Limestone) - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Calcium Carbonate (Limestone) - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Cellulose	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (2011)
Cellulose - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Cellulose - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Clay - Respirable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (2011)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Clay - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Clay - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Clay - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Naphthalene	TWA	10 ppm	US. ACGIH Threshold Limit Values (2011)
	PEL	10 ppm 50 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values (2011)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable.	TWA	2.4 millions of particles per cubic foot	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)

		of air	
	TWA	0.1 mg/m <sup>3</sup>	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)

Chemical name	Type	Exposure Limit Values	Source
Coal tar pitch - Aerosol. - as benzene solubles	TWA	0.2 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Coal tar pitch - Aerosol. - as benzene solubles	TWA	0.2 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Coal tar pitch - as benzene solubles	TWA	0.2 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Calcium Carbonate (Limestone) - Total dust.	STEL	20 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	10 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium Carbonate (Limestone) - Respirable fraction.	TWA	3 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium Carbonate (Limestone) - Total dust.	TWA	10 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Cellulose - Respirable fraction.	TWA	3 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Cellulose - Total dust.	TWA	10 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Cellulose	TWA	10 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Cellulose - Total dust.	TWA	10 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Naphthalene	STEL	15 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	10 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Naphthalene	TWA	10 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Naphthalene	TWA	10 ppm 52 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	STEL	15 ppm 79 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)

Benzo(a)pyrene	TWA	0.005 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.10 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.1 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)

### Exposure guidelines

Naphthalene	US. ACGIH Threshold Limit Values	Can be absorbed through the skin.
-------------	----------------------------------	-----------------------------------

### Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

### Individual protection measures, such as personal protective equipment

**General information:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

#### Skin Protection

**Hand Protection:** Use suitable protective gloves if risk of skin contact.

**Other:** Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

**Hygiene measures:** Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

## 9. Physical and chemical properties

### Appearance

**Physical state:** liquid  
**Form:** liquid  
**Color:** Black  
**Odor:** Aromatic

<b>Odor threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point/freezing point:</b>	No data available.
<b>Initial boiling point and boiling range:</b>	150 °C 302 °F
<b>Flash Point:</b>	> 93 °C > 199 °F
<b>Evaporation rate:</b>	Slower than Ether
<b>Flammability (solid, gas):</b>	No
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	Vapors are heavier than air and may travel along the floor and in the bottom of containers.
<b>Relative density:</b>	1.26
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	Practically Insoluble
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates).
<b>Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
<b>Skin Contact:</b>	May be harmful in contact with skin. May cause an allergic skin reaction.



**Eye contact:** Eye contact is possible and should be avoided.

**Ingestion:** May be ingested by accident. Ingestion may cause irritation and malaise.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

**Information on toxicological effects**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

**Product:** 725.00 mg/kg  
ATEmix : 16,695.42 mg/kg

**Dermal**

**Product:** ATEmix: 2,186.07 mg/kg

**Inhalation**

**Product:**

**Specified substance(s):**

Cellulose LC 50 (Rabbit): 20.1 mg/l

Clay LC 50 (Rat): > 20 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Coal tar pitch in vivo (Rabbit): Not irritant

Naphthalene in vivo (Rabbit): Not irritant

Anthracene in vivo (Rabbit): Not irritant

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Coal tar pitch                      Rabbit, 1 hrs: Not irritating

Anthracene                         Rabbit, 24 hrs: Not irritating

**Respiratory or Skin Sensitization**

**Product:**                         No data available.

**Carcinogenicity**

**Product:**                         No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

Coal tar pitch	Overall evaluation: Carcinogenic to humans.
Creosote	Overall evaluation: Probably carcinogenic to humans.
Naphthalene	Overall evaluation: Possibly carcinogenic to humans.
Indeno[1,2,3-cd]pyrene	Overall evaluation: Possibly carcinogenic to humans.
Benzo(a)anthracene	Overall evaluation: Possibly carcinogenic to humans.
Chrysene	Overall evaluation: Possibly carcinogenic to humans.
Benzo(a)pyrene	Overall evaluation: Carcinogenic to humans.
Benzo(b)fluoranthene/benzo[e]acefenanthrieno	Overall evaluation: Possibly carcinogenic to humans.
Crystalline Silica (Quartz)/ Silica Sand	Overall evaluation: Carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:**

Coal tar pitch	Known To Be Human Carcinogen.
Naphthalene	Reasonably Anticipated to be a Human Carcinogen.
Indeno[1,2,3-cd]pyrene	Reasonably Anticipated to be a Human Carcinogen.
Benzo(a)anthracene	Reasonably Anticipated to be a Human Carcinogen.
Benzo(a)pyrene	Reasonably Anticipated to be a Human Carcinogen.
Benzo(b)fluoranthene/benzo[e]acefenanthrieno	Reasonably Anticipated to be a Human Carcinogen.
Crystalline Silica (Quartz)/ Silica Sand	Known To Be Human Carcinogen.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

Crystalline Silica  
(Quartz)/ Silica  
Sand                      Cancer

**Germ Cell Mutagenicity**

**In vitro**  
**Product:**                      No data available.

**In vivo**  
**Product:**                      No data available.

**Reproductive toxicity**

**Product:**                      May damage fertility or the unborn child.

**Specific Target Organ Toxicity - Single Exposure**

**Product:**                      No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:**                      No data available.

**Aspiration Hazard**

**Product:**                      No data available.

**Other effects:**                      No data available.

**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:****Fish**

**Product:**                      No data available.

**Specified substance(s):**

Phenanthrene	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 3.2 mg/l Mortality
Fluorathene	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 0.074 - 0.113 mg/l Mortality
Naphthalene	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 4.9 mg/l Mortality
Anthracene	LC 50 (Bluegill (Lepomis macrochirus), 96 h): 0.00594 - 0.00781 mg/l Mortality

Acenaphthene	LC 50 (Fathead minnow ( <i>Pimephales promelas</i> ), 96 h): 0.52 - 0.71 mg/l Mortality
Dibenzofuran	LC 50 (Sheepshead minnow ( <i>Cyprinodon variegatus</i> ), 48 h): > 3.2 mg/l Mortality LC 50 (Sheepshead minnow ( <i>Cyprinodon variegatus</i> ), 72 h): 2.6 - 4.2 mg/l Mortality LC 50 (Fathead minnow ( <i>Pimephales promelas</i> ), 96 h): 0.84 - 1.31 mg/l Mortality LC 50 (Fathead minnow ( <i>Pimephales promelas</i> ), 96 h): 1.04 - 1.25 mg/l Mortality LC 50 (Fathead minnow ( <i>Pimephales promelas</i> ), 96 h): 1.62 - 1.95 mg/l Mortality

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

Phenanthrene	LC 50 (Water flea ( <i>Daphnia magna</i> ), 48 h): 0.59 - 0.84 mg/l Mortality
Fluorathene	LC 50 (Water flea ( <i>Daphnia magna</i> ), 24 h): 1,000 - 1,600 mg/l Mortality EC 50 (Water flea ( <i>Daphnia magna</i> ), 7 d): > 0.01 - 0.012 mg/l Intoxication LC 50 (Purple-spined sea urchin ( <i>Arbacia punctulata</i> ), 48 h): > 0.127 mg/l Mortality EC 50 (Water flea ( <i>Daphnia magna</i> ), 7 d): > 0.01 - 0.015 mg/l Intoxication LC 50 (Purple-spined sea urchin ( <i>Arbacia punctulata</i> ), 96 h): > 0.033 mg/l Mortality
Naphthalene	LC 50 (Water flea ( <i>Daphnia magna</i> ), 48 h): 3.4 mg/l Mortality
Anthracene	EC 50 (Water flea ( <i>Daphnia magna</i> ), 24 h): 0.189 - 0.236 mg/l Intoxication LC 50 (Pacific oyster ( <i>Crassostrea gigas</i> ), 48 h): > 5 mg/l Mortality LC 50 (Clam ( <i>Mulinia lateralis</i> ), 96 h): > 13.3 mg/l Mortality
Benzo(a)anthracene	LC 50 (Water flea ( <i>Daphnia pulex</i> ), 96 h): 0.01 mg/l Mortality
Chrysene	LC 50 (Polychaete worm ( <i>Nereis arenaceodentata</i> ), 96 h): < 1 mg/l Mortality
Benzo(a)pyrene	EC 50 (Water flea ( <i>Daphnia magna</i> ), 24 h): 0.032 - 0.049 mg/l Intoxication LC 50 (Scud ( <i>Gammarus duebeni</i> ), 48 h): < 150 mg/l Mortality LC 50 (Polychaete worm ( <i>Nereis arenaceodentata</i> ), 96 h): < 1 mg/l Mortality
Acenaphthene	LC 50 (Water flea ( <i>Daphnia magna</i> ), 24 h): > 280 mg/l Mortality LC 50 (Snail ( <i>Aplexa hypnorum</i> ), 96 h): > 2.04 mg/l Mortality
Dibenzofuran	LC 50 (Water flea ( <i>Daphnia magna</i> ), 24 h): 4.4 - 13 mg/l Mortality
Benzo(b)fluoranthene/benzo[e]acefenantrileno	EC 50 (Water flea ( <i>Daphnia magna</i> ), 24 h): > 1.024 mg/l Intoxication

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Coal tar pitch LC 50 (Danio rerio, 42 d): > 4 µg/l Read-across from supporting substance (structural analogue or surrogate), Key study  
NOAEL (Danio rerio, 42 d): 4 µg/l Read-across from supporting substance (structural analogue or surrogate), Key study

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

Phenanthrene	Water flea (Daphnia pulex), Bioconcentration Factor (BCF): 325 (Static)
Fluorathene	Water flea (Daphnia magna), Bioconcentration Factor (BCF): 1,741.8 (Static)
Naphthalene	Rainbow trout,donaldson trout (Oncorhynchus mykiss), Bioconcentration Factor (BCF): 13,000 (Flow through)
Anthracene	Green algae (Chlorella fusca vacuolata), Bioconcentration Factor (BCF): 7,800 (Static)
Benzo(a)anthracene	Water flea (Daphnia pulex), Bioconcentration Factor (BCF): 10,109 (Static)
Chrysene	Water flea (Daphnia magna), Bioconcentration Factor (BCF): 6,088.4 (Static)
Benzo(a)pyrene	Water flea (Daphnia pulex), Bioconcentration Factor (BCF): 2,720 (Static)
Acenaphthene	Bluegill (Lepomis macrochirus), Bioconcentration Factor (BCF): 387 (Flow through)
Benzo(b)fluoranthene/benzo[e]acefenantrileno	Mussel (Mytilus edulis planulatus), Bioconcentration Factor (BCF): 5,200,000 (Lentic - static water system without measurable flow rate (e.g. lake)) Bioconcentration factor calculated using dry weight tissue conc

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Specified substance(s):**

Creosote	Log Kow: 1.0
Phenanthrene	Log Kow: 4.57
Fluorathene	Log Kow: 5.16
Naphthalene	Log Kow: 3.30
Anthracene	Log Kow: 4.45
Benzo(a)anthracene	Log Kow: 5.79
Chrysene	Log Kow: 5.73
Benzo(a)pyrene	Log Kow: 5.97
Acenaphthene	Log Kow: 3.92
Dibenzofuran	Log Kow: 4.12
Benzo(b)fluoranthene/benzo[e]acefenantrileno	Log Kow: 6.60

**Mobility in soil:** No data available.

**Other adverse effects:** Very toxic to aquatic organisms.

**13. Disposal considerations**

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Contaminated Packaging:** No data available.

**14. Transport information****TDG:**

Not Regulated

**CFR / DOT:**

Not Regulated

**IMDG:**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Coal Tar), 9, PG III, MARINE POLLUTANT

**Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

<u>Chemical Identity</u>	<u>OSHA hazard(s)</u>
Crystalline Silica (Quartz)/ Silica Sand	kidney effects lung effects immune system effects Cancer

**CERCLA Hazardous Substance List (40 CFR 302.4):**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Creosote	1 lbs.
Fluorathene	100 lbs.
Phenanthrene	5000 lbs.
Naphthalene	100 lbs.
Anthracene	5000 lbs.
Indeno[1,2,3-cd]pyrene	100 lbs.
Benzo(a)anthracene	10 lbs.
Chrysene	100 lbs.
Benzo(a)pyrene	1 lbs.
Acenaphthene	100 lbs.
Dibenzofuran	100 lbs.
Benzo(b)fluoranthene/benzo[e]acefenantrileno	1 lbs.
Biphenyl	100 lbs.
Dibenz(a,h)anthracene	1 lbs.
Pyrene	5000 lbs.
Acenaphthylene	5000 lbs.
Fluorene	5000 lbs.
Quinoline	5000 lbs.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

- Immediate (Acute) Health Hazards
- Delayed (Chronic) Health Hazard
- Skin sensitizer
- Germ Cell Mutagenicity
- Carcinogenicity
- Toxic to reproduction

**SARA 302 Extremely Hazardous Substance**

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Pyrene	5000 lbs.	---

**SARA 304 Emergency Release Notification**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Creosote	1 lbs.
Fluorathene	100 lbs.
Phenanthrene	5000 lbs.
Naphthalene	100 lbs.
Anthracene	5000 lbs.
Indeno[1,2,3-cd]pyrene	100 lbs.
Benzo(a)anthracene	10 lbs.
Chrysene	100 lbs.
Benzo(a)pyrene	1 lbs.
Acenaphthene	100 lbs.
Dibenzofuran	100 lbs.
Benzo(b)fluoranthene/benzo[e]acefenantrileno	1 lbs.
Biphenyl	100 lbs.
Dibenz(a,h)anthracene	1 lbs.
Pyrene	5000 lbs.
Acenaphthylene	5000 lbs.
Fluorene	5000 lbs.
Quinoline	5000 lbs.



## SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Pyrene	500lbs
Coal tar pitch	10000 lbs
Calcium Carbonate (Limestone)	10000 lbs
Cellulose	10000 lbs
Creosote	10000 lbs
Phenanthrene	10000 lbs
Fluorathene	10000 lbs
Clay	10000 lbs
Naphthalene	10000 lbs
Anthracene	10000 lbs
Indeno[1,2,3-cd]pyrene	10000 lbs
Benzo(a)anthracene	10000 lbs
Chrysene	10000 lbs
Benzo(a)pyrene	10000 lbs
Acenaphthene	10000 lbs
Dibenzofuran	10000 lbs
Benzo(b)fluoranthene/benzo[e]acefenantrileno	10000 lbs
Crystalline Silica (Quartz)/ Silica Sand	10000 lbs

## SARA 313 (TRI Reporting)

<u>Chemical Identity</u>
Creosote
Fluorathene
Phenanthrene
Naphthalene
Indeno[1,2,3-cd]pyrene
Benzo(a)anthracene
Benzo(a)pyrene
Benzo(b)fluoranthene/benzo[e]acefenantrileno

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## US State Regulations

### US. California Proposition 65



### WARNING

Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**US. New Jersey Worker and Community Right-to-Know Act****Chemical Identity**

Coal tar pitch  
Calcium Carbonate (Limestone)  
Cellulose  
Creosote  
Fluorathene  
Phenanthrene  
Naphthalene  
Indeno[1,2,3-cd]pyrene  
Benzo(a)anthracene  
Chrysene  
Benzo(a)pyrene  
Benzo(b)fluoranthene/benzo[e]acefenantrileno  
Crystalline Silica (Quartz)/ Silica Sand

**US. Massachusetts RTK - Substance List****Chemical Identity**

Coal tar pitch  
Calcium Carbonate (Limestone)  
Cellulose  
Creosote  
Fluorathene  
Phenanthrene  
Indeno[1,2,3-cd]pyrene  
Benzo(a)anthracene  
Chrysene  
Benzo(a)pyrene  
Benzo(b)fluoranthene/benzo[e]acefenantrileno  
Crystalline Silica (Quartz)/ Silica Sand  
Dibenz(a,h)anthracene  
Pyrene

**US. Pennsylvania RTK - Hazardous Substances****Chemical Identity**

Coal tar pitch  
Calcium Carbonate (Limestone)  
Cellulose  
Creosote  
Fluorathene  
Phenanthrene  
Indeno[1,2,3-cd]pyrene  
Benzo(a)anthracene  
Benzo(a)pyrene  
Benzo(b)fluoranthene/benzo[e]acefenantrileno

**US. Rhode Island RTK****Chemical Identity**

Calcium Carbonate (Limestone)  
Cellulose

**International regulations**

**Montreal protocol**

Not applicable

**Stockholm convention**

Not applicable

**Rotterdam convention**

Not applicable

**Kyoto protocol**

Not applicable

**VOC:**

Regulatory VOC (less water and  
exempt solvent) : 299 g/l

VOC Method 310 : 24.00 %

**Inventory Status:**

Australia AICS:	One or more components in this product are not listed on or exempt from the Inventory.
Canada DSL Inventory List:	One or more components in this product are not listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Mexico INSQ:	One or more components in this product are not listed on or exempt from the Inventory.
Ontario Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Taiwan Chemical Substance Inventory:	One or more components in this product are not listed on or exempt from the Inventory.

---

<b>16. Other information, including date of preparation or last revision</b>
--

**Revision Date:** 04/10/2019

**Version #:** 1.2

**Further Information:** No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

